

What types of batteries does Jauch offer?

Today, we offer a wide range of primary lithium batteries and rechargeable battery systems. Many of our batteries are available directly from stock. Customized battery systems with a battery management system. Jauch provides complete solutions for your battery system according to your requirements.

Where are Jauch batteries made?

Manufacturing in Villingen-Schwenningen Jauch production in Villingen-Schwenningen: Customized battery packs for medical or safety technology or the automotive industry, for example, where special requirements often have to be met, are manufactured here in ESD-protected rooms.

What solutions does Jauch offer?

Jauch provides complete solutions for your battery system according to your requirements. Standard cells and customized packs, from simple cells to intelligent battery packs for the most demanding applications.

Individual Solutions                      We take care of special requests for design-in as well as all relevant safety aspects.

Die hohe Leistungs- und Zuverlässigkeit von Lithium-Ionen-Batterien führt zu immer neuen Anwendungsgebieten. Man findet sie heutzutage beispielsweise in Mobiltelefonen, Laptops, Tablets, Kameras, Staubsaugern, Werkzeugen, Fahrzeugen oder in sogenannten Storage-Anwendungen - große Energiespeicher für die Speicherung der Energie aus Solarzellen.

We are proud to be showcasing our innovative battery solutions, from highly customizable lithium ion and lithium polymer cells, high-energy-density lithium thionyl chloride batteries to our own branded coin cells. Visit our team in hall 5, stand N69 to learn more about our battery solutions and the frequency control products.

Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection - Battery Certification Experts Discharge Time (h) Voltage (V) At +25°C 1 10 100 1,000 10,000 100,000 1.0 1.5 2.0 2.5 3.0 3.5 4.0 RoHS 2011/65/ EC RoHS compliant Pb free mineral free REACH compliant VOLTAGE VS. TEMPERATURE

Whether a standard product or individually tailored special solution with battery management system, Jauch's battery experts deliver the right solution for almost all requirement profiles. The in-house test center also ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI18650JLS HB 1S1P Charge Voltage 4.2 V Jauch No. 250479 Standard Current 650 mA ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP443441JU Charge Voltage 4.2 V Jauch No. 246509 Standard Current 0.2 C (130 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 &#177;2&#176;C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP735977JH Charge Voltage 4.2 V Jauch No. 246524 Standard Current 0.2 C (960 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI NCM14500J 1s1p Charge Voltage 4.2 V Jauch No. 245137 Standard Current 170 mA ...

Jauch offers a variety of reliable technological solutions: Lithium ion or lithium polymer batteries, single-cell batteries or multi-cell battery packs, simple electronic protection circuits or ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI18650JC-26 1s1p Charge Voltage 4.2 V Jauch No. 250262 Standard Current 1250 mA ...

The high energy density of lithium ion batteries is leading to ever new areas of application. Today, they can be found, for example, in cell phones, laptops, tablets, cameras, vacuum cleaners, tools, vehicles or in so-called storage applications - large energy ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP503759JU Charge Voltage 4.2 V Jauch No. 246517 Standard Current 0.5 C (675 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 &#177;2&#176;C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP633750JH Charge Voltage 4.2 V Jauch No. 246516 Standard Current 0.2 C (280 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP103048JU Charge Voltage 4.2 V Jauch No. 246518 Standard Current 0.2 C (290 mA) ...

mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts trip Jauch Quartz GmbH o email: [batterytechnology@jauch](mailto:batterytechnology@jauch)  
Version 1.2 10/2022 TFN ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LI21700JSV-50 Charge Voltage 4.2 V Jauch No. 251511 ...

The Jauch Group has grown alongside their frequency control products and - with their early entry into the battery technology market - they are now working in two promising growth areas. "On the 65th anniversary of the company, the ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP502243JU Charge Voltage 4.2 V Jauch No. 246503 Standard Current 0.5 C (225 mA) ...

battery designs/specifications are subject to modification without notice. Contact JAUCH for the latest information. Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection-Battery Certification Experts Voltage (V) At +25°C 1 10 100 1,000 Discharge Time (h) 10,000 100,000 1.0 1.5 2 ...

We are JAUCH; Image movie; Figures; OUR MANAGEMENT; News; Trade Shows and Events; ISO 9001; ISO 14001; CCF; Worldwide; Industries; Careers. Jauch as an Employer ... View the catalogue now and learn more about our extensive product and service portfolio and our customized battery solutions. Zum Download . The Jauch specialists are happy to ...

and battery designs/specifications are subject to modification without notice. Contact JAUCH for the latest information. Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection-Battery Certification Experts Voltage (V) At +25°C 1 10 100 1,000 Discharge Time (h) 10,000 100,000 1.0 1 ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 &#177;2&#176;C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model: LP503562JU Charge Voltage 4.2 V Jauch No. 246897 Standard Current 0.2 C (250 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER



## Jauch battery solutions Jordan

BATTERY PACK Model LI18650JLS HB 1S2P Charge Voltage 4.2 V Jauch No. 250480 Standard Current 1300 mA ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP402025JU Charge Voltage 4.2 V Jauch No. 246483 Standard Current 0.2 C (30 mA) ...

Contact us for free full report

Web: <https://www animator frajda pl/contact-us/>

Email: [energystorage2000@gmail.com](mailto:energystorage2000@gmail.com)

WhatsApp: 8613816583346

